



Mini-Split Systems



MS8C MS8H

Lennox® 8 Series ductless air conditioners and heat pumps

Get year-round comfort anywhere you want

Lennox® 8 Series Ductless Mini-Split air conditioners and heat pumps provide a smart, energy-efficient way to cool or heat a specific room in your home. Maybe you have a sunroom that's just a little too warm in the summer and too cool in the winter. Or a room addition that isn't connected to your ductwork. Perhaps you have a media room that generates a lot of extra heat. Now, thanks to Lennox, any room can be comfortable any time of the year without a complicated installation.



A proud new addition to the Lennox family

For decades, Lennox has been trusted to deliver unsurpassed innovation in home comfort. Mini-Split air conditioners and heat pumps are no exception.

Each one is designed to deliver ultra-quiet comfort wherever you need it—all in a small, attractive package that blends into any room.

And with efficiency ratings up to 22 SEER and 10.20 HSPF, Mini-Split systems can keep you comfortable without generating high utility bills. They're also protected by a 5-year limited parts warranty (includes compressor).*



Smart, secure and very comfortable

When only certain rooms need cooling and heating, MS8C Mini-Split air conditioners and MS8H heat pumps provide an ideal solution. **Unlike window units, a Mini-Split system doesn't leave you vulnerable to insects, weather elements and theft.**

Designed for easy installation, Mini-Split systems use a compact indoor unit and an outdoor unit connected through a small hole in your wall. This not only helps keep your home secure, but it also allows the system to move heat out of your home quickly and efficiently, while using energy wisely. It's just the kind of innovation you'd expect from Lennox.

Enjoy the convenience of staying in your ideal comfort zone

The wireless remote control for the 8 Series Mini-Splits is equipped with a sensor that measures the air temperature in the room and automatically signals the system to adjust to the set temperature. With the remote nearby you'll always have the comfort of knowing the temperature of the air surrounding you is just where you want it.

^{*}Applies to residential applications only. See actual warranty certificate for details.



anywhere

A lot of comfort without a lot of noise

Every Mini-Split system creates an environment that is as quiet as it is comfortable. Considering a whisper is 20 decibels and light rainfall is 30 dB, Mini-Split air conditioners, with indoor sound levels as low as 26 dB and outdoor levels as low as 50 dB, are hardly noticeable**. But the crisp, refreshing air is hard to miss.

Slow and steady keeps it efficient

Lennox Mini-Split systems use advanced inverter technology that keeps cooled or heated air flowing without the typical stops and starts associated with conventional systems. The digital inverter acts as the brains of the system, sending signals to the compressor motor to step up or decrease speed based on changes in temperature outside and inside rooms. As speed is adjusted, a magnetic field controls the motor's rotation, assuring perfectly smooth operation at all times. This exceptionally high precision offers greater energy efficiency and minimal temperature swings.


Cooling and heating—all in one

During warmer months, the Mini-Split heat pump works as a normal air conditioner. It extracts heat from inside the home and transfers it to the outdoor air. In colder weather, however, the process reverses—the unit collects heat from the outdoor air and transfers it inside your home, providing a much safer and more efficient solution than a traditional window-unit-and-space-heater combination.

Lennox® 8 Series Mini-Split systems work great in any room.

- Sunrooms
- Media rooms
- Room additions/ Bonus rooms
- Home offices
- Upstairs bedrooms

Ductless Mini-Split Systems



Mini-Split MS8C and MS8H Specifications

Outdoor Unit Model Numbers	MS8-HO-09L MS8-CO-09L MS8-HO-09P MS8-CO-09P	MS8-HO-12L MS8-CO-12L MS8-HO-12P MS8-CO-12P	MS8-HO-18P MS8-CO-18P	MS8-HO-24P MS8-CO-24P	MS8-HO-30P
HSPF	9.80	9.60	10.20	10.20	8.20
SEER	22.00	20.00	18.00	18.00	16.00
Sound (dBA)	53	55	55	56	62
Dimensions HxWxD (in) HxWxD (mm)	21-1/4 × 30 × 12-5/8 540 × 762 × 320	23-1/4 x 30 x 12-5/8 591x 762 x 320	27-5/8 x 35 x 15-5/8 702 x 890 x 397	31-1/8 x 36 x 16-7/8 790 x 914 x 427	31-1/8 x 36 x 16-7/8 790 x 914 x 427
Indoor Unit Model Numbers	MS8-HI-09L MS8-CI-09L MS8-HI-09P MS8-CI-09P	MS8-HI-12L MS8-CI-12L MS8-HI-12P MS8-CI-12P	MS8-HI-18P MS8-CI-18P	MS8-HI-24P MS8-CI-24P	MS8-HI-30P
Sound (dBA)	26–34	26–36	35–44	37–45	48–57
CFM Low Speed Medium Speed High Speed Turbo Speed	220 255 295 330	215 255 275 305	325 385 460 500	355 410 470 590	645 675 705 NA
Dimensions HxWxD (in) HxWxD (mm)	10-7/8 × 33-3/8 × 7 275 × 848 × 180	10-7/8 x 33-3/8 x 7 275 x 848 x 180	11-3/4 × 37 × 8 298 × 940 × 203	12-3/8 × 39-3/4 × 8-5/8 315 × 1008 × 219	12-7/8 × 53-1/8 × 10 326 × 1349 × 253

Note: Due to Lennox' ongoing commitment to quality, all specifications, ratings and dimensions are subject to change without notice. **Based on sound pressure levels of the MS8-CI-09L.









For a complete list of the registered and common law trademarks owned by Lennox Industries Inc., please visit www.lennox.com.